



# Computer Networks I

3<sup>rd</sup> stage

## Lecture No. 4

# Application Layer

DR. Lecturer . Taqwa.F.Hassan

Computer Department - College of Engineering  
University of Diyala

2021-2022

# Outline

2.1 Principles of network applications

2.2 Web and HTTP

2.3 FTP

2.4 electronic mail

- SMTP, POP3, IMAP

2.5 DNS

2.6 P2P applications

# Application layer

## Our goals:

- ❖ conceptual, implementation aspects of network application protocols
  - transport-layer service models
  - client-server paradigm
  - peer-to-peer paradigm
- ❖ learn about protocols by examining popular application-level protocols
  - HTTP
  - FTP
  - SMTP / POP3 / IMAP
  - DNS
- ❖ creating network applications

# Some network apps

- ❖ e-mail
- ❖ web
- ❖ text messaging
- ❖ remote login
- ❖ P2P file sharing
- ❖ multi-user network games
- ❖ streaming stored video (YouTube, Hulu, Netflix)
- ❖ voice over IP (e.g., Skype)
- ❖ real-time video conferencing
- ❖ social networking
- ❖ search
- ❖ ...
- ❖ ...


# Creating a network app

write programs that:

- ❖ run on (different) end systems
- ❖ communicate over network
- ❖ e.g., web server software communicates with browser software

no need to write software for network-core devices

- ❖ network-core devices do not run user applications
- ❖ applications on end systems allows for rapid app development, propagation




# Application architectures

possible structure of applications:

- ❖ client-server
- ❖ peer-to-peer (P2P)

# Client-server architecture



## server:

- ❖ always-on host
- ❖ permanent IP address
- ❖ data centers for scaling

## clients:


- ❖ communicate with server
- ❖ may be intermittently connected
- ❖ may have dynamic IP addresses
- ❖ do not communicate directly with each other

# P2P architecture

- ❖ no always-on server
- ❖ arbitrary end systems directly communicate
- ❖ peers request service from other peers, provide service in return to other peers
  - *self scalability* – new peers bring new service capacity, as well as new service demands
- ❖ peers are intermittently connected and change IP addresses
  - complex management


examples:

- file distribution (BitTorrent)
- Streaming (KanKan)
- VoIP (Skype)



# Pure P2P architecture

- ❖ no always-on server
- ❖ arbitrary end systems directly communicate
- ❖ peers are intermittently connected and change IP addresses



# Processes communicating

*process*: program running within a host

- ❖ within same host, two processes communicate using **inter-process communication** (defined by OS)
- ❖ processes in different hosts communicate by exchanging **messages**

clients, servers


*client process*: process that initiates communication

*server process*: process that waits to be contacted

- ❖ aside: applications with P2P architectures have client processes & server processes

# Sockets

- ❖ process sends/receives messages to/from its **socket**
- ❖ socket analogous to door
  - sending process shoves message out door
  - sending process relies on transport infrastructure on other side of door to deliver message to socket at receiving process



# Addressing processes

- ❖ to receive messages, process must have *identifier*
- ❖ host device has unique 32-bit IP address
- ❖ *Q:* does IP address of host on which process runs suffice for identifying the process?
  - *A:* no, many processes can be running on same host
- ❖ *identifier* includes both **IP address** and **port numbers** associated with process on host.
- ❖ example port numbers:
  - HTTP server: 80
  - mail server: 25
- ❖ to send HTTP message to `gaia.cs.umass.edu` web server:
  - **IP address:** 128.119.245.12
  - **port number:** 80
- ❖ more shortly...

# App-layer protocol defines

- ❖ types of messages exchanged,
  - e.g., request, response
- ❖ message syntax:
  - what fields in messages & how fields are delineated
- ❖ message semantics
  - meaning of information in fields
- ❖ rules for when and how processes send & respond to messages

open protocols:

- ❖ defined in RFCs
- ❖ allows for interoperability
- ❖ e.g., HTTP, SMTP

proprietary protocols:

- ❖ e.g., Skype

# What transport service does an app need?

## data integrity

- ❖ some apps (e.g., file transfer, web transactions) require 100% reliable data transfer
- ❖ other apps (e.g., audio) can tolerate some loss

## timing

- ❖ some apps (e.g., Internet telephony, interactive games) require low delay to be “effective”

## throughput

- ❖ some apps (e.g., multimedia) require minimum amount of throughput to be “effective”
- ❖ other apps (“elastic apps”) make use of whatever throughput they get

## security

- ❖ encryption, data integrity,

...

# Transport service requirements: common apps

<b>application</b>	<b>data loss</b>	<b>throughput</b>	<b>time sensitive</b>
file transfer	no loss	elastic	no
e-mail	no loss	elastic	no
Web documents	no loss	elastic	no
real-time audio/video	loss-tolerant	audio: 5kbps-1Mbps video:10kbps-5Mbps	yes, 100' s msec
stored audio/video	loss-tolerant	same as above	
interactive games	loss-tolerant	few kbps up	yes, few secs
text messaging	no loss	elastic	yes, 100' s msec yes and no

# Internet transport protocols services

## TCP service:

- ❖ *reliable transport* between sending and receiving process
- ❖ *flow control*: sender won't overwhelm receiver
- ❖ *congestion control*: throttle sender when network overloaded
- ❖ *does not provide*: timing, minimum throughput guarantee, security
- ❖ *connection-oriented*: setup required between client and server processes

## UDP service:

- ❖ *unreliable data transfer* between sending and receiving process
- ❖ *does not provide*: reliability, flow control, congestion control, timing, throughput guarantee, security, or connection setup,

Q: why bother? Why is there a UDP?

# Internet apps: application, transport protocols

	<b>application</b>	<b>application layer protocol</b>	<b>underlying transport protocol</b>
	e-mail	SMTP [RFC 2821]	TCP
remote terminal access		Telnet [RFC 854]	TCP
	Web	HTTP [RFC 2616]	TCP
	file transfer	FTP [RFC 959]	TCP
streaming multimedia		HTTP (e.g., YouTube), RTP [RFC 1889]	TCP or UDP
Internet telephony		SIP, RTP, proprietary (e.g., Skype)	TCP or UDP

# Web and HTTP

*First, a review...*

- ❖ *web page* consists of *objects*
- ❖ object can be HTML file, JPEG image, Java applet, audio file,...
- ❖ web page consists of *base HTML-file* which includes *several referenced objects*
- ❖ each object is addressable by a *URL*, e.g.,

www.someschool.edu/someDept/pic.gif


host name

path name

# HTTP overview

## HTTP: hypertext transfer protocol

- ❖ Web's application layer protocol
- ❖ client/server model
  - **client:** browser that requests, receives, (using HTTP protocol) and "displays" Web objects
  - **server:** Web server sends (using HTTP protocol) objects in response to requests



# HTTP overview (continued)

*uses TCP:*

- ❖ client initiates TCP connection (creates socket) to server, port 80
- ❖ server accepts TCP connection from client
- ❖ HTTP messages (application-layer protocol messages) exchanged between browser (HTTP client) and Web server (HTTP server)
- ❖ TCP connection closed

*HTTP is “stateless”*

- ❖ server maintains no information about past client requests

*protocols that maintain “state” are complex!*

- ❖ past history (state) must be maintained
- ❖ if server/client crashes, their views of “state” may be inconsistent, must be reconciled

*aside*

# HTTP connections


## *non-persistent HTTP*

- ❖ at most one object sent over TCP connection
  - connection then closed
- ❖ downloading multiple objects required multiple connections

## *persistent HTTP*

- ❖ multiple objects can be sent over single TCP connection between client, server

# Cookies: keeping “state” (cont.)



# Cookies (continued)

*what cookies can be used  
for:*

- ❖ authorization
- ❖ shopping carts
- ❖ recommendations
- ❖ user session state (Web e-mail)


*aside  
cookies and privacy:*

- ❖ cookies permit sites to learn a lot about you
- ❖ you may supply name and e-mail to sites

*how to keep “state”:*

- ❖ protocol endpoints: maintain state at sender/receiver over multiple transactions
- ❖ cookies: http messages carry state

# FTP: the file transfer protocol



- ❖ transfer file to/from remote host
- ❖ client/server model
  - *client*: side that initiates transfer (either to/from remote)
  - *server*: remote host
- ❖ ftp: RFC 959
- ❖ ftp server: port 21


# Electronic mail

*Three major components:*

- ❖ user agents
- ❖ mail servers
- ❖ simple mail transfer protocol: SMTP

## User Agent


- ❖ a.k.a. “mail reader”
- ❖ composing, editing, reading mail messages
- ❖ e.g., Outlook, Thunderbird, iPhone mail client
- ❖ outgoing, incoming messages stored on server



# Electronic mail: mail servers

## mail servers:

- ❖ *mailbox* contains incoming messages for user
- ❖ *message queue* of outgoing (to be sent) mail messages
- ❖ *SMTP protocol* between mail servers to send email messages
  - client: sending mail server
  - “server”: receiving mail server



# Mail message format

SMTP: protocol for  
exchanging email msgs

RFC 822: standard for text  
message format:


❖ header lines, e.g.,

- To:
- From:
- Subject:


*different from SMTP MAIL  
FROM, RCPT TO:  
commands!*

❖ Body: the “message”

- ASCII characters only



# Mail access protocols



- ❖ **SMTP:** delivery/storage to receiver's server
- ❖ mail access protocol: retrieval from server
  - **POP:** Post Office Protocol [RFC 1939]: authorization, download
  - **IMAP:** Internet Mail Access Protocol [RFC 1730]: more features, including manipulation of stored msgs on server
  - **HTTP:** gmail, Hotmail, Yahoo! Mail, etc.

# DNS: domain name system

*people*: many identifiers:

- SSN, name, passport #

*Internet hosts, routers*:

- IP address (32 bit) - used for addressing datagrams
- “name”, e.g., [www.yahoo.com](http://www.yahoo.com) - used by humans

*Q*: how to map between IP address and name, and vice versa ?

**Domain Name System:**

- ❖ *distributed database* implemented in hierarchy of many *name servers*
- ❖ *application-layer protocol*: hosts, name servers communicate to *resolve* names (address/name translation)
  - note: core Internet function, implemented as application-layer protocol
  - complexity at network’s “edge”

*Thank you for listening*

*Taqwa Altameemi*